Mira Escape Thermostatic 9.0, 9.8 kW



INTRODUCTION

Thank you for purchasing a quality Mira product. To enjoy the full potential of your new product, please take time to read this guide thoroughly. Having done so, keep it handy for future reference.

The Mira Escape Thermostatic is an electric shower with separate controls for power selection and temperature/Àow adjustment. A unique thermostatic valve stabilises temperature changes caused by water pressure Àuctuations. These can result from taps being turned on or off, or toilets being Àushed. Individual lights indicate "ON/ OFF" and "LOW FLOW".

The Mira Escape comes complete with Mira Energise adjustable spray handset with four different spray actions (start, soothe, force and eco*), Àexible hose, clamp bracket assembly, slide bar, supports, hose retaining ring and soap dish.

* On electric showers the 'eco' setting will have no effect, and will give the same spray action as the 'start' setting.

Mira Escape models covered by this guide:

Product	Model Number	Colour
Mira Escape 9.0	J95Hb/c	Chrome, Satin/Chrome
Mira Escape 9.0	J95Hf	White
Mira Escape 9.8	J95G/H	Chrome, Satin/Chrome

Guarantee

For domestic installations, Mira Showers guarantee the Mira Escape 9.0 kW and 9.8 kW against any defect in materials or workmanship for a period of two years from the date of purchase (shower ¿ttings for one year).

For non-domestic installations, Mira Showers guarantee the Mira Escape 9.0 kW and 9.8kW against any defect in materials or workmanship for a period of one year from the date of purchase.

For terms and conditions refer to section "Customer Services".

Recommended Usage				
Domestic	ü			
Light Commercial	ü			
Heavy Commercial	û			
Healthcare	û			

Patents and Design Registration

Design Registration:	000373543-0003			
Patents:	GB: 2 341 667, 2 404 000, 2 427 460,2 428 286			
	Ireland: 82835, 85128, 85163, 85912			
Patent Applications:	Ireland: 2006/0462			

IMPORTANT SAFETY INFORMATION

WARNING - This shower can deliver scalding temperatures if not operated, installed or maintained in accordance with the instructions, warnings and cautions contained in this guide and on or inside the appliance.

TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK OR INJURY:


- 1. Installation of this shower must be carried out in accordance with these instructions by quali¿ed, competent personnel.
- 2. Isolate the electrical and water supplies before commencing installation. The electricity must be isolated at the consumer unit and the appropriate circuit fuse removed, if applicable. Mains connections are exposed when the cover is removed.
- 3. DO NOT install the shower in areas with high humidity and temperature (i.e. Steam rooms and saunas).
- 4. DO NOT install the shower where it may be exposed to freezing conditions. Ensure that any pipework that could become frozen is properly insulated.
- 5. DO NOT switch the shower on if there is a possibility that the water in the shower is frozen.
- 6. DO NOT switch the shower on if water starts leaking from the shower case. Isolate the electrical supply to the shower immediately.
- 7. DO NOT connect the outlet of the shower to any tap, control valve, trigger handset or showerhead other than those specized for use with this shower scalding water temperatures and product damage will occur. Only Kohler Mira recommended accessories should be used.
- 8. The water supplies to this product must be isolated if the product is not to be used for a long period of time. If the product or pipework is at risk of freezing during this period they should also be drained of water.
- 9. DO NOT perform any unspeci¿ed modi¿cations to the shower or its accessories. When servicing only use genuine Kohler Mira replacement parts.
- 10. If the shower is dismantled during installation or servicing then upon completion the product must be inspected to ensure all electrical connections are tight and that there are no leaks.
- 11. Read all installation instructions before installing this shower.
- 12. Upon completion of the installation, make sure that the user is familiar with the operation of the shower, and leave this guide with the owner.


If you experience any dif¿culty with the installation of your new shower, then please refer to "Fault Diagnosis", before contacting Kohler Mira Limited. Our telephone and fax numbers can be found on the back cover of this guide.

PACK CONTENTS



Tick the appropriate boxes to familiarize yourself with the part names and to con¿rm that the parts are included.






Documentation

□ 1 x Installation and User Guide □ 1 x Guarantee and Registration Document

1 x Installation Template

WIRING DIAGRAM



Internal Wiring Diagram

SPECIFICATIONS

European Conformity Information

The Mira Escape range of showers comply with the following European directives: 2006/95/EC Low Voltage Directive, 2004/108/EC EMC Directive.

The Mira Escape range of showers are high power appliances and are subject to conditional connection. If the main electrical supply fuse is rated less than 80 Amps, the local electricity supply company must be contacted to con¿rm if the electrical supply is adequate.

The Mira Escape range of showers comply with the requirements of the UK's water regulations.

	Variant			
Plumbing –	Escape 9.0	Escape 9.8		
Minimum Dynamic Pressure	70 kPa (0.7 bar)	70 kPa (0.7 bar)		
Maximum Dynamic Pressure	500 kPa (5 bar)			
Maximum Static Pressure	1000 kPa (10 bar)			
Minimum Static Pressure	20 kPa	(0.2 bar)		
Maximum Inlet Temperature	30	0°C		
Minimum Inlet Temperature	2	°C		
Inlet Connection	1/2" BSP Male / 15 mm Compression Fitting			
Maximum Water Hardness	200 ppr	m CaCO ₃		
Outlet Connection	1/2" BSP Male			
	Variant			
Electrical	Escape 9.0	Escape 9.8		
Nominal Power at 230 V ac	8.3 kW	9.0 kW		
Nominal Power at 240 V ac	9.0 kW	9.8 kW		
Recommended MCB Rating	40 A	45 A		
Maximum Supply Cable Size	16 mm ²			
Recommended RCD Rating	30 mA tripping current			
Recommended Isolator Switch	45 A double-pole with 3 mm contact separatio			
Appliance Sealing Rating	IP X4 - Suitable for installation in Zone 1			
Maximum Ambient Temperature	30°C			
Minimum Ambient Temperature	2°C			
Dimensions				
Height	348 mm			
Width	207 mm			
Depth	90 mm			


INSTALLATION REQUIREMENTS

Please read the Important Safety Information and speci¿cations sections at the front of this guide, and the requirements detailed in this section before installing the shower.

WARNING - TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK OR INJURY: Plumbing

- 1. The plumbing installation must comply with all national or local water regulations and all relevant building regulations, or any particular regulation or practice speci¿ed by the local water supply company.
- 2. Do not install the product in a position in which service access is limited.
- 3. Decide on a suitable position for the shower (minimum distance of 200 mm from the ceiling to allow for cover *i*t and removal).
- 4. The position of the shower and shower ¿ttings must provide a minimum gap of 25 mm between the showerhead and the spill over level of any bath, shower tray or basin and a minimum gap of 30 mm between the showerhead and the spill over level of any toilet, bidet or other appliance with a Fluid Category 5 backÀow risk (see diagram on page 8).
- 5. The shower is suitable for installation within the shower area and is ¿tted with a pressure relief valve. It must be positioned over a water catchment area with the controls at a convenient height for the user.
- 6. The shower must be ¿tted to a waterproof Àat and even wall surface.
- 7. DO NOT ¿t the shower to the wall and tile up to the case.
- 8. DO NOT seal the gap between the shower and the wall surface.
- 9. The showerhead should be positioned so that it discharges down the centre line of the bath or across the opening of a shower cubicle.
- 10. The showerhead must be directed away from the shower unit, during normal use the showerhead must not spray directly on to the shower unit.
- 11. DO NOT apply excessive force to plumbing connections; always provide mechanical support when making plumbing connections. Any soldered joints should be made before connecting the shower.
- 12. This shower is not designed to be plumbed directly from the rear. For rear-entry supply, add an elbow to the supply pipe and connect as a rising or a falling supply.
- 13. If pipework and/or electrical cables enter the shower from the rear through a hole in the wall provision must be made to prevent water ingress back into the wall structure.
- 14. Only use the inlet connector supplied with the shower. DO NOT use any other type of ¿tting.

- 15. A full bore/non restrictive servicing valve must be ¿tted in a readily accessible position adjacent to the shower to facilitate maintenance of the shower. DO NOT use a valve with a loose washer plate (jumper) as this can lead to a build up of static pressure.
- 16. A water treatment device should be installed where the water hardness may exceed 200 ppm. Malfunctions caused by excessive limescale formation are not covered by this shower's guarantee (see back page for details).
- 17. The installation must not cause the hose to be sharply kinked during normal use.
- 18. DO NOT perform the electrical installation until the plumbing has been completed and checked for leaks.




Hose Retaining Ring ¿tted and shower ¿ttings ¿xed at a suitable height preventing dirty water backÀow.

Note! There will be occasions when the hose retaining ring will not provide a suitable solution for Fluid Category 3 installations, in these instances an outlet double checkvalve must be ¿tted, this will increase the required supply pressure typically by 10kPa (0.1 bar). Double checkvalves ¿tted in the inlet supply to the appliance cause a pressure build up, which affect the maximum static inlet pressure for the appliance and must not be ¿tted. For Fluid Category 5 double checkvalves are not suitable.

WARNING - TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK OR INJURY:

Electrical

- 1. The electrical installation must comply with BS 7671 (commonly referred to as the IEE Wiring Regulations) and all relevant building regulations, or any particular regulation or practice specized by the local electricity supply company.
- 2. Ensure that all circuit protection devices, switches and cabling is adequate for the rated current of the shower and that the rating of the electricity supply company fuse and the consumer unit are adequate for the additional demand.
- 3. The shower must be earthed. Ensure any supplementary bonding complies with the relevant regulations.
- 4. This shower is intended to be permanently connected to the ¿xed electrical wiring of the mains system. A separate supply must be provided from the consumer unit to the shower.
- 5. DO NOT supply any other electrical equipment including extractor fans or pumps via this product.
- 6. This shower must be provided with means for local disconnection that is incorporated into the ¿xed wiring in accordance with the relevant local wiring regulations. This must be a double pole switch, which has at least 3 mm contact separation in each pole. The switch can be a ceiling mounted pull-cord type within the shower room or a wall mounted switch ¿tted in the applicable zone area.
- 7. A 30mA Residual Current Device (RCD) must be incorporated into the electrical supply to this shower in accordance with wiring regulations.
- 8. DO NOT apply excessive force to the terminal block.
- 9. All electrical connections should be checked for tightness to prevent overheating before switching on the electrical supply.
- 10. DO NOT switch on the electrical supply until the plumbing has been completed and checked for leaks.



INSTALLATION


Installation of Mira Escape

Warning! Turn off the electrical and water supplies before proceeding with the installation of the Mira Escape. The electricity must be turned off at the mains and the appropriate circuit fuse removed, if applicable.


Note! An installation template is supplied to help you install the Mira Escape.

Wall ¿xings are not supplied. For solid wall structures a red rawl plug and a no. 8 x 1½" countersunk brass or stainless steel screw should be used. For other wall structures such as panels alternative ¿xings may be required. A minimum of 3 ¿xing screws should be used.

Remove the three cover retaining screws, the cover and the service tunnel.



- Determine the direction of the inlet water supply: top (falling), bottom (rising), or back inlet .
 - Note! Make sure that the back inlet does not go directly back into the wall. Use a soldered elbow.
 - Swivel the inlet connector assembly to suit. Remove the inlet blanking cap. Avoid trapping the green earth bonding wire.




Three case inserts are supplied with the Mira Escape, so that they can be trimmed to suit the supplies entering the product. Before ¿tting the cover, make sure that the case inserts are ¿tted.


Thoroughly Àush the mains-fed cold water supply pipe. The supply must be clean and free from debris BEFORE connecting the Mira Escape. To Àush the pipework, turn on the water supply and drain a minimum of 10 litres (2 gallons) of water into a bucket or catchment area. Turn off the water supply.


An installation template is supplied to help you install the Mira Escape. Put the installation template on the wall and mark through the positions of the ¿xing holes. Make sure that the position of these holes do not come in line with any buried cables or pipework. Make sure that suf¿cient electrical supply cable is available for connection to the terminal block.

Drill and plug the top two ¿xing holes. Secure the Mira Escape to the wall with appropriate screws. Drill the bottom ¿xing hole with the product in place. Alternative ¿xings (not supplied) may be necessary for some wall structures. Avoid drilling into any supply cable/pipe.

 Install the mains-fed cold water supply pipe. Do not overtighten.







Important! Make sure that the inlet earth wire is routed as shown. Failure to do so may cause product malfunction.


Firmly connect the conductors. Do not exert strain on the terminal block.

L = BROWN E = GREEN/YELLOW N = BLUE


Re it the Service Tunnel and Cover. Make sure they it correctly. Do not overtighten screws.

Do not use alternative screws to secure the Cover. This can cause internal damage to the appliance.

Do not seal around the back of appliance.










COMMISSIONING

Before carrying out the commissioning procedure install the Shower Fittings, refer to the Shower Fittings Installation and User Guide.

If you are unsure how an electric shower works, please read through the section "User Instructions" before continuing.




Press the 'Start/Stop' button, light on the button at a cool temperature. comes on

Water will be at full force and




Turn the control slowly. Temperature remains cool and Aow is reduced






The temperature will rise further.





Set control to 'III'.

Adjust temperature as required. Flow rate will adjust automatically.



The shower will purge water from its tank for a few seconds.



button goes out. Shower Àow will continue for a few seconds before stopping. Isolate power.



16.




Residual water may drain over a few minutes.

Note! A slight hissing sound may be heard from the Mira Escape during operation. High mains water pressure and high shower temperatures will affect the tone. This is quite normal in use.


15

USER INSTRUCTIONS

How Your Electric Shower Works



Heated water is produced by adjusting the Àow of cold water passed through a heater tank.




The warmer the shower, the lower the Àow rate and vice versa.



Thermostatic (Temperature-Stable)

The shower's top priority is to keep the desired water temperature constant. Electric showers with thermostatic control are able to keep a stable temperature across the range from hot to cold, whilst also dealing with Àuctuations in electrical and water supplies. As a result, there is a temperature limit the shower cannot go beyond. For safety, this temperature is factory set and cannot be adjusted to make the shower hotter or colder.



ISER SAFETY INFORMATION

WARNING - THIS SHOWER CAN DELIVER SCALDING TEMPERATURES IF NOT OPERATED, INSTALLED OR MAINTAINED IN ACCORDANCE WITH THE INSTRUCTIONS, WARNINGS AND CAUTIONS CONTAINED IN THIS GUIDE AND ON OR INSIDE THE APPLIANCE.

To reduce the risk of ¿re, electric shock or injury:

- Make sure that you fully understand how 11. 1. to operate this shower before use, read all operating instructions and retain this guide for future reference.
- 2 This shower is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, 12. or lack of experience and knowledge, unless they have been given supervision or instruction concerning the use of the 13. shower by a person responsible for their safety.
- Children should be supervised to ensure 14. 3. that they do not play with the shower.
- 4. DO NOT switch the shower on if there is a possibility that the water in the shower is frozen.
- DO NOT switch the shower on if water 15. Care to be taken when changing the 5 leaks from the shower unit. Isolate the electrical supply to the shower immediately.
- 6. DO NOT switch the shower on if the case appears to be damaged or incorrectly ¿tted. Isolate the electrical supply to the shower immediately.
- DO NOT connect the outlet of the shower 17. Switch off the appliance at electrical 7. to any tap, control valve, trigger handset or showerhead other than those speciled for use with this shower - scalding water temperatures and product damage will 18. occur. Only Kohler Mira recommended accessories should be used.
- 8. The showerhead must be de-scaled regularly, refer to the user maintenance section towards the rear of this guide for details.
- 9 The shower hose must be checked regularly and replaced if damaged, refer to the user maintenance section towards the rear of this guide for details.
- 10. DO NOT store bathroom items on top of the shower case. ie. Shampoo or shower gel containers.

- Always check the water temperature before entering the shower. Sunburn or skin conditions can increase your sensitivity to hot water. Make sure that you set the shower to a cooler temperature.
- DO NOT operate the temperature control rapidly, allow 10 - 15 seconds for the temperature to stabilise before use.
- DO NOT block or restrict Aow through the handset or hose whilst showering. eg. By placing in direct contact with your body.
- Be aware that any adjustment to temperature control or power control whilst showering will affect the showering temperature and may result in a burst of hot water.
- handset mode as this may affect the shower temperature/performance.
- 16. Care is required if the shower is turned off and then back on after a short time as this will result in a burst of hot water from the showerhead. Ensure temperature has stabilised before re-using shower.
 - isolating switch when not in use. This is for safety and is recommended with all electrical appliances.
 - If any of the following conditions occur, isolate the electricity and water supplies and contact your installer:


If the case is damaged or the cover is not correctly ¿tted and water has entered the shower case.

If the shower begins to make an odd noise, smell or smoke.

If the shower shows signs of a distinct change in performance indicating a need for maintenance.

Using your Shower

Read the section "User Safety Information" ¿rst.



Switch on electrical supply.




Set to desired position.



3.

1.




7.

2.

4.

Allow 10 - 15 seconds for any temperature adjustments to reach the handset.





Press STOP button, light on the button goes out. Shower Àow will continue for a few seconds before stopping. Isolate power.



Residual water may drain over a few minutes.


Note! At the end of every shower make sure that the shower head points into the catchment area. A small amount of water may be retained in the shower handset after the shower has been turned off. This may drain over a few minutes.





Press the 'Start/Stop' button, light on the button comes on.

Check water temperature before




For a cold shower select I.

For a summer warm shower select II.

For a winter warm shower select III.

During extremes of mains water supply temperature, adjust heater setting to obtain a better showering temperature.

The Effect of Other Water Devices



Water inlet pressure Àuctuations due to other draw offs (e.g. Àushing toilet). Shower temperature will be controlled to within $\pm 2^{\circ}$ C of the set temperature provided that the supply conditions remain within the required operating parameters (refer to section: 'Speci¿cations').

FAULT DIAGNOSIS

The trouble shooting information tabled below gives details on probable causes and remedies should dif¿culties be encountered whilst the shower is in operation. Warning! There are no user serviceable components beneath the cover of the appliance. Only a competent tradesperson should remove the front cover!

Symptom	Power Light	Low Flow Light	Heater Setting I / II / III	Probable Cause	Possible Remedy
Appliance Fails to operate				Electrical supply isolated at double pole switch.	Switch on electrical supply via the pullcord or wall mounted switch.
	OFF	OFF	Any	Fuse blown or MCB/RCD tripped, indicating possible electrical fault.	Renew the fuse or reset the MCB/RCD. If fault persists, contact your installer.
Shower cycles				Handset blocked.	Remove and clean.
from hot to cold	ON	ON	11 / 111	Water pressure below minimum required for appliance operation.	Make sure incoming mains water stopcock and/or appliance isolating valve is fully turned on.
	ON OF	OFF	11 / 111	Temperature dial or Heater setting too high.	Turn the heater selector knob to setting II or turn the temperature control until a cooler temperature is achieved.
				Thermostatic mechanism is faulty or damaged.	Replace.
Unable to select a coolenough shower.	ON	OFF	ш	Due to the rise in mains water supply temperature, the Heater setting may be too high.	Turn the heater selector knob to II and adjust the temperature control until a suitable temperature is achieved.
Unable to select a hot enough shower (cold only)	ON	ON	1711	Power control not on high	Turn the power control to high
	ON	OFF	Any	Temperature control on cool setting	Turn the temperature control until a hotter temperature is achieved
	ON ON		Water pressure below minimum requirement for shower operation	Make sure incoming mains water stopcock and / or shower isolating valve is fully open	
		ON	ANY		Contact water company
			Showerhead blocked	Remove and descale showerhead	
					(continued)

Symptom	Power Light	Low Flow Light	Heater Setting I / II / III	Probable Cause	Possible Remedy
(continued) Unable to select a hot enough	ON	ON	Any	Hose kinked or blocked	Check hose and replace if necessary, see section - 'USER MAINTENANCE'.
shower (cold only)				Restriction in Showerhead mode	Select different Showerhead mode
H a n d s e t dripping	OFF	OFF	ANY	Insuf¿cient water supply pressure for shut off.	The minimum static pressure to ensure shut off and prevent dripping is 0.2 bar. Note! If other appliances are operating, static pressure may drop below 0.2 bar. Contact local water company. Renew the Flow Valve.
				Inlet valve faulty	Replace
Low or no Àow	ON O			Water supply pipework or inlet filter restricted by a blockage or partial blockage.	Flush supply pipe. Clean inlet ¿lter.
		ON	ANY	Insufficient water supply pressure/Àow for operation.	Contact local water company. Supply pressure must be a minimum of 0.7 bar. Note: If other appliances are operating, pressure may drop below 0.7 bar.
				Other outlets (e.g. toilet, garden hose, washing machine, etc.) drawing water while the shower is being used.	Turn off other appliances whilst shower is in use.
				Showerhead blocked	Remove and clean.
	ON OFF	ANY	Service tunnel or cover not ¿tted correctly causing Start/Stop button not to operate.	Check case inserts are cut and fitted correctly. Check services (electrical or plumbing) are not interfering with location of service tunnel or cover.	
				Inlet Valve faulty.	Replace.
				Heater Tank excessively scaled.	Replace. In hard water areas consider the use of a water softener.

Symptom	Power Light	Low Flow Light	Heater Setting I / II / III	Probable Cause	Possible Remedy
Operation of temperature	ON	ON	11 / 111	Showerhead or inlet ¿lter blocked.	Remove and clean.
control has little or no		OFF		Inlet valve faulty.	Replace.
effect on water				Heater tank failure.	Replace.
temperature.				Microswitch failure.	Replace.
No change in temperature between I/II/III settings.	ON	ON	ANY	Insufficient mains water pressure.	Contact local water company.
	ON	OFF	ANY	Possible failure of flow valve, microswitch or heater tank.	Check the continuity of the microswitch or heater tank and replace parts as necessary.
Water will not turn off.	ON	OFF	ANY	Inlet valve, solenoid, or start/stop switch faulty.	Replace as necessary.
	ON	ON	ANY	Supply pressure below 0.2 bar.	Contact local water company. Check mains water static pressure.
Appliance fails to produce hot water when set on II/III heater settings.	ON	ON		Insuf¿cient water supply.	Contact local water company.
	ON OFF	11 / 111	Possible failure of the microswitch or thermal switch	Contact local water company.	
				Heater Tank failure.	Replace.

USER MAINTENANCE

WARNING - TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK OR INJURY:

- There are no user serviceable parts inside the shower. Only qualified, competent personnel should remove the front cover, mains connections are exposed when the cover is removed.
- Switch the shower off at the isolator switch before performing any user maintenance or before cleaning the shower.
- DO NOT allow young children to perform user maintenance including cleaning of the shower.

- DO NOT use the showerhead to clean the shower.
- If the shower is not to be used for a long period, the electrical supply and water supply to the shower should be isolated. If the shower or pipework is at risk of freezing during this period a qualified, competent person should drain them of water.

Cleaning

Many household cleaners contain abrasives and chemical substances, and should not be used for cleaning plated or plastic parts or ¿ttings. These ¿nishes should be cleaned with a mild washing up detergent or soap solution, and then wiped dry using a soft cloth.

De-scaling the Showerhead

Important! Keeping the showerhead clean and free from limescale will ensure that your shower and showerhead continue to perform to their maximum. A blocked showerhead can restrict the flow rate and may cause damage to your shower

Inspecting the hose.

Important! The shower hose should be inspected periodically for damage or internal collapse, internal collapse can restrict the flow rate from the showerhead and may cause damage to the shower. Remove the shower hose from the shower, inspect and replace the hose if necessary.



Use your thumb or a soft cloth to wipe any limescale from the soft nozzles



SERVICING

WARNING

There are no user serviceable parts inside the shower.


Servicing of the shower must only be carried out by quali¿ed, competent personnel following the instructions provided in this guide and those provided with any spare part.

Before replacing any parts, ensure that the underlying cause of the malfunction has been resolved.

Inlet Filter - Cleaning/Renewing

Read the section "Important Safety Information" ¿rst


- Make sure that the electrical supply is turned off at the mains and that the water supply is fully turned off.
- Remove the three screws, the cover and the service tunnel.



Hold a wrench across the Àats of the metal connector. Unscrew the ¿Iter using another wrench as shown. Clean or renew the Filter as necessary. Re¿t in reverse order making sure the Filter is screwed fully home.


Do not overtighten! Make sure plumbing connections are sealed before restoring electricity supply.

 Refit the cover making sure it is correctly located. Do not overtighten the screws.





SPARE PARTS






ACCESSORIES

Genuine Mira accessories can be purchased direct from Customers Services (our contact details can be found on the back cover of this guide) or from approved stockists or merchants.



Everclear Showerhead White - 2.1616.030 Chrome - 2.1616.031 Mira's new Everclear range has been specially designed for hard water areas and reduces the risk of lime scale build up. Note! Only suitable for Electric showers rated at 9kW and higher.



Shower Seat White - 2.1536.128 White/Chrome - 2.1536.129 For use in or out of the showering area. Folds up when not in use. Maximum User Weight - 127 kg (20 stone) Note! Must be installed onto a solid wall.



Logic Showerhead Holder White - 2.1605.149 White/Chrome - 2.1605.150 slide bar. Often a useful addition members of the family.



Mira Standard Grab Bars 300 mm - 2.1605.070 450 mm - 2.1605.071 600 mm - 2.1605.072 Premium grade, highly polished, stainless steel grab bars. Note! Must be installed onto a solid wall.



Premium Shower Seat White/Chrome - 2.1731.001 Grey/Chrome - 2.1731.002 An alternative to the traditional Stylish, slim-line and robust shower seat for use in or outside when positioned for the smaller of the shower area. Folds up when not in use. Maximum User Weight - 150 kg (23.5 stone) Note! Must be installed onto a solid wall.



Outlet Double Check Valve (DCV-H) Chrome - 1.0.110.55.1 An outlet double check valve, designed to prevent the back Àow or back-siphonage of potentially contaminated water, through shower controls which are ¿tted with a Aexible shower hose as part of the outlet shower ¿tting.



CUSTOMER SERVICE

Guarantee

Your product has the benefit of our manufacturer's guarantee which starts from the date of purchase. To activate this guarantee please return your complete registration card Misit our website or free phone

in the guarantee period we will resolve defects in materials or workmanship the of charge by repairing or replacing parts or product as we may choose This guarantee is in addition to your statutory rights

and is subject to the following conditions:

- The guarantee applies solely to the original installation under normal use and to the original purchaser only The product must be installed and maintained in accordance with the instructions given in this user guide.
- · Dervicing must only be undertaken by us or our appointed representative. Note! if a service visit is reliired the product must be fully installed and connected to services.
- Depair under this guarantee does not e Dend the original e biry date. The guarantee on any replacement parts or product ends at the original e ry date.
- br shower fittings or consumable items we reserve the right to supply replacement parts only.

The guarantee does not cover:

- Hall out charges for non product faults such as damage or performance issues arising from incorrect installation Improper use Imappropriate cleaning lack of maintenance build up of limescale frost damage Corrosion Bystem debris or blocked filters or where no fault has been found with the product.
- Hater or electrical supply aste and isolation issues.
- Impensation for loss of use of the product or conse uential loss of any kind.
- Mamage or defects caused if the product is repaired or modified by persons not authorised by us or our appointed representative.
- Boutine maintenance or replacement parts to comply with the reminements of the TM Reformer TM Reformance of the transformation of transformation of the transformation of transformation of the transformation of the transformation of the transformation of transformation of the transformation of transf
- 3 healthcare schemes. Accidental or wilful damage.
- Products purchased ex-showroom display.

What to do if something goes wrong

If your product does not work correctly refer to this manual for fault diagnosis and check that it is installed and commissioned in accordance with our instructions. If this does not resolve the issue, contact us for help and advice

Extended Guarantees

A selection of protection plans are availa that ena Te you to cover repair Tils Excludes Ere Fing for more details.

Mira is a registered trade mark of Kohler Mira Limited The company reserves the right to alter product specifications without notice.

1060688-W2-J (1563) (J95G/H, J95Hf, J95Hb/c)



Better than our nationwide team of srvice Echnicians. Ee can carry out service or repair work to your product bth during and after the guarantee period. Ask a but our fixed price service repairs.

To Contact Us: UK

0844 571 5000



ax



mail mail www.mirashowers.co.uk/ contactus

In a Stomer Prvices Sept, Stomwell Boad, Beltenham, Boucestershire, IIIII 3

To Contact Us: Eire Only





Email stomer rvice re mirashowers.com



© Kohler Mira Limited, May 2013